The power to do more

Collaboration at your fingertips with the world's smartest colour multifunction printer[1]



Dell™ Colour Multifunction Printer - C2665dnf

Get the world's smartest colour multifunction printer with 30 features in one device.[1] Designed to improve collaboration in the workforce, this printer supports a range of scan-to destinations, including cloud storage services.

Featuring Dell Document Hub cloud service, you can access a gamut of cloud services directly from your printer. Simply scan and convert hardcopies to editable, searchable content with optional Optical Character Recognition (OCR)[2], and store and share the content via the cloud.

Conveniently access printer functions by personalising the control panel settings on the intuitive 4.3-inch colour touch screen. You can also connect your Near Field Communication (NFC)-enabled Windows 8.1 devices to this NFC-enabled printer with a simple tap.

With an integrated solution for document collaboration and easily accessible features, the Dell Colour Multifunction Printer – C2665dnf is versatile and reliable, ideal for your varied business needs.

1. Based on 30 features of Dell C2665dnf, compared against product features from manufacturers' published specifications of comparative colour A4 laser MFPs < $1,499 with printing speeds of 21-44ppm (Letter), as of Aug 2013 (based on market models as reported by IDC Hardcopy Peripheral Tracker Q2, 2013).
2. For a limited period, you will enjoy Optical Character Recognition (OCR) and/or other features within Dell Document Hub for free. This introductory offer is available until 31 March 2014.

Dell Colour Multifunction Printer | C2665dnf









Seamless collaboration with direct cloud connectivity

- Conveniently access a variety of popular cloud services through Dell Document Hub - direct from your printer.
- Search for files across multiple clouds simultaneously with Dell Document Hub's aggregate search function[1].
- Convert hardcopies into editable files (such as Microsoft Word, Excel, and PowerPoint) and searchable PDFs with cloud Optical Character Recognition (OCR)[2].
- Easily scan documents to a variety of destinations, such as email, network folder, FTP, and USB drives.
- Get fast connection to your network with Gigabit Ethernet connectivity.
- Connect to a wireless network with the optional External Wireless Adapter (sold separately).

Simple to use

- Customise the 4.3-inch colour touch screen with personalised layout. Your shortcuts to different cloud services and settings stays with your Dell Document Hub account[3]. Tap and swipe to access the printer functions, just like a smart phone or tablet screen.
- Preview up to 10 files (with up to 3 pages per file) on the control panel touch screen before printing.
- Easily scan and copy two-sided documents with the 50-page Duplex Automatic Document Feeder (DADF).
- Reduce paper consumption with automatic two-sided printing. The C2665dnf also supports printing on recycled, renewable content, and chlorine-free paper.

Mobile convenience

- Automatically connects your printer with NFC-enabled Windows 8.1 devices using the built-in Near Field Communication (NFC) technology.
- Create your personalized Dell Document Hub account[3] and gain access to your account on the C2665dnf printer and compatible devices[4].
- Print directly from a variety of mobile devices with:
  - Dell Mobile Print app (for Android™ mobile devices)[5]
  - AirPrint (for iOS mobile devices)[6]
  - Google Cloud Print™
- Preview and print your files conveniently from your USB drives with the printer's front USB port.

1. A user account is required for Dell Document Hub access. For registration, visit dell.com/dochub. Relevant cloud accounts are required for access to differing cloud services. Search capability subject to individual cloud service.
2. For a limited period, you will enjoy Optical Character Recognition (OCR) and/or other features within Dell Document Hub for free. This introductory offer is available until 31 March 2014.
3. Access to Dell Document Hub accounts may be affected by geographical differences and limited to the country in which the user registered the account.
4. Compatible with Microsoft® Windows® 8, 8.1 and RT devices.
5. The printer and the mobile device must be connected to the same network.
6. AirPrint-enabled printers work with iPad, iPhone (3GS or later), and iPod touch (3rd generation or later) running iOS 4.2 or later.

Meet the world's smartest colour multifunction printer with 30 features in one device. This versatile device is the first colour multifunction printer in its class with personalised colour touch screen and is NFC enabled.[1]



30 features in one device

1. Print (Colour/Mono)
2. Copy
3. ID Copy
4. Scan to PC
5. Scan to USB
6. Scan to Email
7. Scan to FTP
8. Scan to Web Service for devices[2]
9. Scan to Network Folder
10. Fax
11. PC Fax
12. NFC Tap and Print
13. 4.3" capacitive colour touch screen
14. Secure Print
15. Two-side scanning/printing
16. Mobility printing
17. Scan to and print from SkyDrive
18. Scan to and print from Google Drive
19. Scan to and print from Dropbox
20. Scan to and print from Box
21. Scan to and print from Microsoft SharePoint Online 2013
22. Single sign-on to cloud services
23. Smart OCR[3]
24. Business Card Reader[3]
25. Aggregated search across multiple clouds simultaneously
26. Email Me
27. Print Microsoft Office documents directly from the cloud
28. App Manager
29. Scan to Secure PDF
30. Print Preview



4.3" intuitive colour touch screen

Tap, swipe, drag and drop to access and personalise the control panel on the intuitive 4.3-inch colour touch screen—just like a smartphone.



Near field communication (NFC) technology

Automatically connects your NFC-enabled Windows 8.1 devices to this NFC-enabled printer with a simple tap.



On-screen print preview

With Dell Document Hub, you can preview up to 10 files (with up to 3 pages per file) on the colour touch screen before printing or sharing.



50-page DADF

Scan and copy two-sided documents hands-free with the 50-sheet Duplex Automatic Document Feeder (DADF).



Secure Print

Keep unauthorised persons from accessing sensitive prints with Secure Print, which requires users to enter a 4-digit PIN on the printer before releasing the prints.



Secure data transmission

Secure network data transmission with Secure Socket Layer (SSL), Internet Protocol Security (IPSec) and LDAP with Kerberos authentication.

1. Based on 30 features of Dell C2665dnf, compared against product features from manufacturers' published specifi cations of comparative colour A4 laser MFPs < US $1,499 with printing speeds of 21-44ppm (Letter), as of Aug 2013 (based on market models as reported by IDC Hardcopy Peripheral Tracker Q2, 2013).
2. Web Service for devices (WSD) refers to Microsoft WSD.
3. For a limited period, you will enjoy Optical Character Recognition (OCR) and/or other features within Dell Document Hub for free. This introductory offer is available until 31 March 2014.

About Dell Document Hub

Today's business environment is shifting rapidly. Paper documents are being converted to digital files, and cloud storage services are being swiftly adopted by businesses for improved collaboration, more efficient document routing, and to reduce unnecessary printing.

Dell understands the benefits of cloud computing, and offers a solution that takes the possibilities even further.

Dell Document Hub is your gateway to digital collaboration, mobile convenience, and one-stop access to your digital files on the cloud.

To register for a free account, visit dell.com/dochub

- A single sign-on to Dell Document Hub provides access to a variety of popular cloud services: Box®, Dropbox®, Google Drive™, Microsoft® SkyDrive® and Microsoft® SharePoint® Online 2013.
- Convert scanned hardcopy documents to editable digital files with optional Optical Character Recognition (OCR)[1].
- Search through and within documents across multiple cloud services simultaneously with the aggregate search function[2].
- Simplify your operation with personalised Dell Document Hub profile and settings.
- Gain peace of mind with proven security standards[3] to safeguard your data transfer.

Warranty and service options

Standard service[4]	1 Year Limited Hardware Warranty and 1 Year Next Business Day On-site Service after Remote Diagnosis
Service upgrade options[4]	• 2 - 5 Years Next Business Day Service after Remote Diagnosis • 1 - 5 Years Dell ProSupport™ available during the term of warranty

Consumables



Ship-with toner cartridge capacity[5]	1,200 pages (black); 1,200 pages (colour – CMY)
Standard capacity toner cartridge[5]	1,200 pages (black); 1,200 pages (colour - CMY)
High capacity toner cartridge[5]	3,000 pages (black); 4,000 pages (colour – CMY)
Extra high capacity toner cartridge[5]	6,000 pages (black)
Imaging Drum	55,000 pages (black); 55,000 pages (colour)
Toner waste container capacity	Up to 30,000 pages

Accessories



Optional 550-sheet lockable input drawer

Increase the input capacity of the C2665dnf printer to 950 sheets with the optional 550-sheet input drawer.



External Wireless Adapter

Connect the C2665dnf printer to a WiFi network with the optional wireless adapter.

Configurations



Standard Configuration

Standard input tray: 250-sheet;
Multipurpose tray: 150-sheet

Total input capacity: 400-sheet



Extended Configuration

Standard input tray: 250-sheet;
Multipurpose tray: 150-sheet

Optional
550-sheet input drawer: 550-sheet

Total input capacity: 950-sheet

1. For a limited period, you will enjoy Optical Character Recognition (OCR) and/or other features within Dell Document Hub for free. This introductory offer is available until 31 March 2014.
2. A user account is required for Dell Document Hub access. For registration, visit dell.com/dochub. Relevant cloud accounts are required for access to differing cloud services. Search capability subject to individual cloud service.
3. Data centre is compliant to ISO27001, SAS70, SSAE16, SOC1, SOC2. Content transmission is secured with AES265bit SSL encryption. 128bit RC4 encrypted PDF. Routine security maintenance.
4. For copy of Limited Hardware Warranty, write Dell Products, Dell House, The Boulevard, Cain Road, Bracknell, Berkshire, RG12 1LF, UK or see www.dell.com/warranty. For warranty information for other countries, see website: www.dell.com/servicecontracts and then select the country. Service may be provided by third party. Technician will be dispatched if necessary following phone-based troubleshooting. Subject to parts availability, geographical restrictions and terms of service contract. Service timing dependent upon time of day call placed to Dell. Defective unit must be returned. Replacements may be refurbished.
5. Toner yield based on testing in accordance with ISO/IEC 19798. Yields vary with usage and environmental conditions.

Product Specifications (1 of 2)

Printer specifications	**Print speed (Mono / Colour)**	
	Simplex (600 x 600 dpi)	Up to 27 ppm[1] (A4)
	Duplex (600 x 600 dpi)	Up to 18 ppm[1] (A4)
	First page out time from Ready state	Less than or equals to 14 seconds (simplex)
	Print resolution	600 x 600 dpi
	Operation panel	4.3" Colour Touch Screen (Capacitive), 272 x 480 pixel; Viewing Area: 4.3"; Backlight: White backlight; Status LED: 2 LEDs ("Ready" and "Error")
	Print language	
	Printer Driver Language	PCL6, PostScript™ 3, XPS
	Printer data stream (Firmware)	PCL5C, PCL 6 (PCLXL 2.1), PostScript 3, PDF v1.6
	Fonts	HP PCL® 6 Emulation: 80 scalable fonts, PostScript® Level 3: 80 scalable fonts
	Processor speed	525 MHz
	Memory	1024 MB[2]
	Maximum duty cycle	Up to 50,000 pages per month[3]
	Recommended monthly print volume	700 - 4,000 pages per month
Mobile printing support	Dell Mobile Print[4] (Android™ OS), AirPrint[5] (iOS). Google Cloud Print	
Printer management	Dell Printer Configuration Web Tool, Dell ColourTrack 2.2, Dell Toner Management System, Dell Open Print Driver (OPD), Dell OpenManage™ Printer Manager v2 (OMPM)	
Security features	**Print Job Management**	Secure Print with 4 Digit PIN, Virtual Mail Box, Print Job
	Network Authentication	NTLM (Scan to SMB only), SNMP v3, Kerberos with Digital certificate
	Data Encryption	Data Security – Ipsec (IKev1), 802.1x Wired Security
	Access Control Management	Network access control to printer settings, reports; Walk up access features lock to copy, scan, fax and USB host printing
	I/O Access control	IP Filtering-EWS – up to 5 IP addresses, IP Filtering-Control Panel – up to 5 IP addresses (IPv4 only), Direct I/O Port (USB, USB Front) Disable/Enable, Network Protocol (Enable/Disable), Fax/I/O control (Enable/Disable)
	Colour Control	Dell ColourTrack 2.2
	Wireless Security	WPA – TKIP or AES, WPA2 - Personal, WPA2 - Enterprise, WEP – 64/128 bit, IEEE 802.1x (Wireless) – PEAPv0 supported (wireless connectivity is optional)
	MFP Authentication	Copy/Scan/Print feature lock using Operator Panel's common Password, Address book with LDAP Kerberos User Authentication
	Fax Security	Secure Fax received, No Fax-LAN bridging
	Lock type and location	Kensington lock for printer, Kensington lock for primary input tray, Kensington lock for optional input drawer, Kensington lock for accessories
Indevice Solution Dell Document Hub	**Primary Functions**	Scan to compatible cloud services, Search across cloud services, Browse folders of cloud services, Scan to email (limited to Dell Document Hub registered email address), Smart scan (OCR, convert to editable files), Business Card Reader (Convert hardcopy business card to vcard files)
	Scan to Cloud	Services: Google Drive™, SkyDrive®, SharePoint® Online 2013, Dropbox®, Box®; Output format: JPEG, TIFF; Microsoft® Office 2007-2013 (XLS, XLSX, PPT, PPTX, DOC, DOCX), PDF, Secured PDF, RTF
	Print from Cloud	Services: Google Drive™, SkyDrive®, Microsoft® SharePoint® Online 2013, Dropbox®, Box® Print format: Microsoft® Office 2003, 2007, 2010, 2013 (XLS, XLSX, PPT, PPTX, DOC, DOCX), TIFF, Multi-TIFF, JPEG, PNG, PDF, Google Doc, ODT/FODT, ODS/FODS, ODP/FODP
Dell Document Hub feature extension	**Print Preview Supporting Format**	All printable file format[6], display up to 3 pages for up to 10 selected files, Show generic icon for files which could not preview
Scan specifications	**Scan sensor assembly**	CCD (flat bed / scroll feed), illumination (LED)
	Scan resolution	Optical: 1200 x 1200 dpi; Software Enhanced: 9600 x 9600 dpi (max)
	Scanning features	Pull scan: Lighter/Darker, Sharpness, Contrast, Auto Exposure, Margin; Push Scan: File format (PDF/TIFF/Multi-TIFF/JPEG), Colour Mode: Colour/Grayscale/BW, Resoultion: 200/300/600 dpi, Document size, Lighter/Darker, Sharpness, Contrast, Auto Exposure, Margin Top/Bottom, Left/Right, Middle; Scan to USB: File format (PDF/TIFF/Multi-TIFF/JPEG), Colour Mode: Colour/Grayscale/BW, Resoultion: 200/300/600 dpi, Document size, Lighter/Darker, Sharpness, Contrast, Auto Exposure, Margin Top/Bottom, Left/Right, Middle, Save File Management: Auto/Prefix/Suffix, Folder creation
	Scan to media (file format)	TIFF (Single/Multi), JPEG, PDF (V1.6)
	Pull scan file types (Client)	Client support: Application dependent; Device support: PDF (v1.6), TIFF, Multi-TIFF, JPEG
	Walk-up scan to: list supported network type	Scan to: Email, FTP (Network server), SMB (Network folder), USB, WSD Scan to Dell Document Hub Services (Google Drive™, SkyDrive®, Sharepoint® Online 2013, Dropbox®, Box®)
	Walk-up scan to: address book	Email address: 100 (configurable via Embedded Web Server (EWS), Address Book Editor); Email group: 10 (configurable via EWS, Address Book Editor) Common scan to FTP/SMB: 32 (configurable via EWS, Address Book Editor)
	Directory Access	Active Directory access through LDAP
	Scan size (max)	Scan Platen: 216 mm x 297 mm; ADF: 216 mm x 356 mm
Copy specifications	**Copy speed**	Up to 27 copies per minute (cpm) (1 to N) and 18 cpm (Duplex)
	First copy out time	From Ready Mode: 20 seconds (colour) and 16 seconds (mono)
	Copy resolution	600 x 600 dpi
	Maximum copies	99
	Enlarge	25% - 400%
	Copy settings	N-up (2 in 1 only), Collate, ID copy, Job cancel, Sharpness, Colour balance, Background removal, Colour saturation
Fax specifications	**Modem speed/Fax transmission speed**	Up to 33.6 Kbps
	Speed dial	Up to 200 entries
	Fax feature	Transmit: Broadcast, Delay/Schedule, Forward Fax from PC to Printer via USB/Network Receive: Secure, Remote, Polling, Receive and Forward to email
Automatic Document Feeder (ADF)	**ADF type**	Duplex Automatic Document Feeder (DADF)
	Input capacity	50 sheets
	Media type (weight)	60 - 125 gsm
	Media Size	A4 SEF, B5 SEF, A5 SEF, US Letter SEF, Executive SEF, Folio (8.5" x 13") SEF, US Legal SEF; Custom Width: 139.7 mm to 215.9 mm; Custom Length: 139.7 mm to 355.6 mm

Product Specifications (2 of 2)

Connectivity	**Standard interfaces**	High speed USB 2.0, Gigabit Ethernet port, USB Embedded Host Port for USB Direct Print and Scan to, Near Field Communication (NFC), Wireless & Wifi Direct (Optional Wireless Adapter)
Operating Systems	**Windows**	Microsoft® Windows XP/2003 Server, Windows 8, Windows 8 RT, Windows 7 (32/64 bit), Windows Vista (32/64 bit), Windows Server 2008 R1 & R2, Windows 8.1 (available in Nov, 2013), Windows XP (32/64 bit), Windows 2003 Server, Windows Cluster Server Environment, Windows 2012 Server
	Macintosh	Macintosh OS 10.5 to 10.8
	Others	SUSE® Linux Enterprise Desktop 10, 11; Red Hat Linux Enterprise Desktop 5, 6; Nowell® Netware Support; SAP R/3 Release 4.6B onwards; Citrix® Presentation Server™ 4.5, Citrix XenApp 5.0 to 6.5
Standard media types, sizes	**Standard tray**	
	Media types and weights supported	Plain paper (60-90 gsm), Thicker paper (91-105 gsm), Heavier paper-L (106-163 gsm), Heavier paper-H (164 - 216 gsm), Preprint (60 - 163 gsm), Letterhead (60-163 gsm), Prepunched (60-105 gsm), Cardstock (106-216 gsm), Coated paper, Coated paper (95-216 gsm), Recycled paper
	Media sizes	A4 SEF, B5 SEF, A5 SEF, US Letter SEF, Executive SEF, Foilio (8.5"x 13") SEF, US Legal SEF; Custom size: 148 mm - 215.9 mm (W), 210 mm - 355.6 mm (L)
	Multipurpose tray	
	Media types and weights supported	Plain paper (60-163 gsm), Preprinted (60-163 gsm), Letterhead (60-163 gsm), Prepunched (60-105 gsm), Cardstock (106-216 gsm), Coated paper-L (95-216 gsm), Heavier paper (164-216 gsm), Recycled, Label paper, Envelope, Hagaki cards
	Media sizes	A4 Short Edge Feed (SEF), B5 SEF, A5 SEF, US Letter SEF, Executive SEF Folio (8.5" x 13") SEF, US Legal SEF, Envelope Com-10 (SEF), Envelope Monarch (SEF), Envelope DL (LEF/SEF), C5 (SEF), Post Card; Custom size: 76.2 mm – 216 mm (W), 127 mm – 355.6 mm (L)
	Optional tray	
	Media types and weights supported	Plain paper (60-90 gsm), Thicker paper (91-105 gsm), Heavier paper-L (106-163 gsm), Heavier paper-H (164 - 216 gsm), Preprint (60 - 163 gsm), Letterhead (60-163 gsm), Prepunched (60-105 gsm), Cardstock (106-216 gsm), Coated paper, Coated paper (95-216 gsm), Recycled Paper, Labels
	Media sizes	A4 SEF, B5 SEF, A5 SEF, US Letter SEF, Executive SEF, Foilio (8.5"x 13") SEF, US Legal SEF Custom size: 148 mm - 215.9 mm (W), 210 mm - 355.6 mm (L)
	Duplexer	
	Media types and weights supported	Plain paper (60-90 gsm), Thicker paper (91-105 gsm), Heavier paper-L (106-163 gsm), Recycled paper, Coatled paper-L (95-105 gsm), Coated paper-M (106-163 gsm)
	Media sizes	US Letter SEF, Executive SEF, A5 SEF, A4 SEF, B5 SEF, US Legal 13 SEF, US Legal 14 SEF Custom size: 148.5 mm - 215.9 mm (W), 210 mm - 355.6 mm
	Printable area	207.9 mm x 347.6 mm
Paper handling	**Standard input sources**	250-sheet standard tray, 150-sheet multipurpose tray
	Additional input capacity	550-sheet option drawer
	Maximum input capacity	950 sheets (via addition of one 550-sheet optional drawer)
	Duplexer	Automatic two-side printing (default)
	Output capacity	250 sheets
Physical specifications	**Dimensions (W x D x H)**	Printer: 439 mm x 529.5 mm x 558 mm; Shipping: 570 mm x 686 mm x 706 mm
	Weight	Printer: 32.6 kg with consumable; Shipping: 37.5 kg
	Operating environment	Temperature: 5°C to 32°C; Relative humidity: 15% to 85% RH, non-condensing; Altitude: ≤ 3,100 m
	Storage	Temperature: 0°C to 35°C; Relative humidity: 5% to 90% RH, non-condensing; Altitude: ≤ 3,100 m
	Acoustic (Pressure/Power)	Printing - 52.5 dB[7]/6.95 B[7]; Standby - 27 dB[7]/4.3 B[7]
Power specifications	**Voltage** (230 VAC model)	220 to 240 VAC, 50 Hz ± 3 Hz/60 Hz ± 3 Hz
	Power consumption	Printing mode: 750 W; Power saver mode: 3.5 W (Deep sleep)
	Typical power consumption[8]	2.7 kWh
	Environmental compliance	ErP Lot 4 and 6, RoHS-compliant[9], ENERGY STAR® qualified[10], Blue Angel (Germany) UZ171, WEEE, GS Mark (Germany)
Supported languages	English, French, German, Italian, Spanish, Dutch, Danish, Norwegian and Swedish	
	Safety certifications	IEC60950-1:2005 2nd Edition (International); EN60950-1:2006/A11:2009/A1:2010/A12:2011; EC60825-1 2nd (Laser); SEMKO (Nordic); CE Mark (EU); UL/cUL listed (UL60950-1 2nd Edition, US/Canada); FDA/DHHS (21 CFR, Chapter 1, Subchapter J)
	Other certifications	CE mark (EU countries) EMC/Safety Standard Class B, EN55022:2006; EN55022:2010; EN61000-3-2:2006; + A1:2009 + A2:2009; EN 61000-3-3:2008; EN 55024:1998+A1:2001/A2:2003; FCC CFR Titl 47, Part 15 Class B (USA); ICES-003, Issue 4 (Canada); WHQL, Citrix, SAP, Novell, USB, WiFi, Google Cloud Print, Apple Airprint
Contents in box	Dell Colour Multifunction Printer – C2665dnf, Ship-With Black Cartridge and Colour (Cyan, Magenta, Yellow) Cartridges (1,200-page yield[11]), Power cord, Quick Setup Sheet, Software and Instructions CD, Product Information Guide	

1. Measured in accordance with ISO IEC 27434/35 methodology. Actual print speed may vary depending upon system configuration, software application and document complexity.
2. 1 MB means 1 million bytes, 1 GB means 1,000 megabytes or 1,000,000,000 bytes; total accessible capacity varies depending on operating environment.
3. Duty cycle is defined as the maximum number of imaged outputs a device could deliver in a month. This metric provides a comparison of robustness in relation to other Dell printers and multifunction printers.
4. Configuration of the printer and the mobile device must be on the same authorized wireless network.
5. AirPrint-enabled printers work with iPad, iPhone (3GS or later), and iPod touch (3rd generation or later) running iOS 4.2 or later.
6. Supports the following file formats: Microsoft Office (XLS, XLSX, PPT, PPTX, DOC, DOCX), JPEG, TIFF, PNG, PDF, Google Docs, ODT/FODT, ODS/FODS, ODP/FODP.
7. Tested in accordance with ISO 7779 and reported in accordance with ISO 9296. Acoustics - Declared noise emission values of computer and business equipment
8. For the Typical Energy Consumption value calculation details please visit: www.energystar.gov/ia/products/fap/IE_TEC_Test_Procedure.pdf
9. Meets the requirements of the EU RoHS Directive 2011/65/EU on the Restriction of the use of certain Hazardous Substances (RoHS).
10. For details on energy efficiency of ENERGY STAR® qualified products, refer to: www.energystar.gov
11. Toner yield based on testing in accordance with ISO/IEC 19798. Yields vary with usage and environmental conditions.

©2013 Dell Corporation Limited. Dell, the Dell logo and Dell Toner Management System are registered trademarks or trademarks of Dell Inc. Other trademarks and trade names may be used in this document to refer to either the entities claiming the marks and names or their products. Dell disclaims proprietary interest in the marks and names of others. Microsoft, Windows and Windows NT are registered trademarks or trademarks of Microsoft Corporation. Android and Google Cloud Print are registered trademarks of Google Inc. iPad, iPhone, iPod, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. AirPrint and the AirPrint logo are trademarks of Apple Inc. Dell Products, Dell House, The Boulevard, Cain Road, Bracknell, Berkshire, RG12 1LF, UK. Product availability varies by country. Please contact your Dell representative for more information.
Specifications are subject to change without notice. Dell cannot be responsible for errors and omissions in typography or photography.

A13002312 - C2665dnf - Oct 2013